

TABLE OF CONTENTS

TABLE OF CONTENTS	1
1- PRUNING THE ERROR LOG	2
REVISION HISTORY	3


1- PRUNING THE ERROR LOG

The System Error log can get very lengthy and unnecessarily use up memory. The following procedure should be used to prune (clean up) your error log.

Note

This utility does not continuously monitor the size of the error log. It does prune the log to the specifications that are entered each time the utility is run.

1. On the Service Desktop, select the **[C Shell..]** button.
2. Type **prune <ENTER>**. See Illustration 1-1.



SYSTEM LOG PRUNING SCREEN
ILLUSTRATION 1-1

Note

Use both the hours and K byte to prune log. (e.g. if set to 24 hours and 50 k bytes but there are 100 K bytes of errors in last 24 hours, it will prune to 50 K bytes. Which could cause only 1- 23 hours to be saved.)

3. Enter the **hours** and or **size** for Pruning criteria. (See Illustration 1-1 for recommended settings.)
4. Click on **OK**.
5. Exit the C-Shell.

REVISION HISTORY

REV	DATE	AUTHOR	PRIMARY REASONS FOR CHANGE
0	August 5, 1998	M. Whitlow	Initial conversion from Toolbook to Word.
1	Oct. 15, 1998	K.Keshena	Changed procedure to access tool.
2	Oct 13, 1999	M. Keber	Added correct proprietary heading to document.